Application

Range of centrifugal roof mounted fans in horizontal discharge format.
ROOF-H are designed for ventilation:

- warehouses, shop and industrial halls, farm buildings in agriculture, etc.

Due to their high temperature resistance, they are especially recommended as extractors:

- from over grates, from hoods in the meat industry and gastronomy.

Construction

- rotors with backward blades are made of aluminum sheet,
- the base and outer casing are made of aluminum sheet,
- brackets and motor support plate are made of stainless steel,
- motor cover made of aluminum sheet,
- rotor cover made of powder coated steel,
- designed for vertical work,
- ·uitable for mounting on flat roofs,
- working temperature -20°C to +120°C.

Motor

- asynchronous single-phase 230V 50Hz (power to 1,1 kW)
- asynchronous 3-phase 230 / 400V, 50Hz (power up to 3,0 kW),
- asynchronous 3-phase 400 / 690V, 50Hz (power from 4,0 kW),
- degree of protection IP55,
- insulation class F,
- single-phase motors are adapted to voltage regulation,
- three-phase motors are adapted for frequency converter.

RELATED PRODUCTS

ROOF-H
Roof fan with horizontal outlet

NOMINAL DATA

type	airflow max	pressure max	speed	voltage rated	current max abs.**	power max abs.	sound pressure level*	weight	article number
SINGLE-PHASE, 4-POLE MOTORS									
ROOF-V/25/12/14S	1 150 m³/h	190 Pa	1 420 rpm	230 V	1,4 A	0,18 kW	52 dB(A)	19,0 kg	43534496
ROOF-V/28/16/14S	1 600 m³/h	240 Pa	1 430 rpm	230 V	2,5 A	0,25 kW	55 dB(A)	21,0 kg	43534501
ROOF-V/31/23/14S	2 300 m³/h	310 Pa	1 420 rpm	230 V	2,8 A	0,37 kW	58 dB(A)	27,0 kg	43534506
ROOF-V/35/33/14S	3 280 m³/h	395 Pa	1 430 rpm	230 V	3,8 A	0,55 kW	61 dB(A)	35,0 kg	43534511
ROOF-V/40/48/14S	4 780 m³/h	500 Pa	1 430 rpm	230 V	4,1 A	0,75 kW	63 dB(A)	41,0 kg	43534516
ROOF-V/45/68/14S	6 800 m³/h	630 Pa	1 300 rpm	230 V	7,5 A	1,1 kW	66 dB(A)	50,0 kg	43534521
SINGLE-PHASE, 6-POLE MOTORS									
ROOF-V/25/08/09S	760 m³/h	80 Pa	880 rpm	230 V	1,4 A	0,12 kW	51 dB(A)	20,0 kg	43534498
ROOF-V/28/11/09S	1 060 m³/h	110 Pa	880 rpm	230 V	1,4 A	0,12 kW	53 dB(A)	20,0 kg	43534503
ROOF-V/31/16/09S	1 570 m³/h	135 Pa	880 rpm	230 V	1,4 A	0,12 kW	56 dB(A)	25,0 kg	43534508
ROOF-V/35/21/09S	2 140 m³/h	175 Pa	920 rpm	230 V	1,6 A	0,18 kW	58 dB(A)	31,0 kg	43534513
ROOF-V/40/31/09S	3 080 m³/h	220 Pa	940 rpm	230 V	2,0 A	0,25 kW	61 dB(A)	37,0 kg	43534518
ROOF-V/45/46/09S	4 570 m³/h	275 Pa	930 rpm	230 V	2,9 A	0,37 kW	64 dB(A)	40,0 kg	43534523
ROOF-V/50/62/09S	6 180 m³/h	350 Pa	940 rpm	230 V	5,2 A	0,75 kW	67 dB(A)	60,0 kg	43534528
THREE-PHASE, 4-POLE MOTORS									
ROOF-V/25/12/14T	1 150 m³/h	190 Pa	1 400 rpm	400 V	0,55 A	0,18 kW	52 dB(A)	19,0 kg	43534495
ROOF-V/28/16/14T	1 600 m³/h	240 Pa	1 410 rpm	400 V	0,8 A	0,25 kW	55 dB(A)	22,0 kg	43534500
ROOF-V/31/23/14T	2 300 m³/h	310 Pa	1 410 rpm	400 V	1,1 A	0,37 kW	58 dB(A)	27,0 kg	43534505
ROOF-V/35/33/14T	3 280 m³/h	395 Pa	1 420 rpm	400 V	1,6 A	0,55 kW	61 dB(A)	36,0 kg	43534510
ROOF-V/40/48/14T	4 780 m³/h	500 Pa	1 430 rpm	400 V	2,1 A	0,75 kW	63 dB(A)	41,0 kg	43534515
ROOF-V/45/68/14T	6 800 m³/h	630 Pa	1 430 rpm	400 V	2,5 A	1,1 kW	66 dB(A)	56,0 kg	43534520
ROOF-V/50/93/14T	9 300 m³/h	780 Pa	1 450 rpm	400 V	4,6 A	2,2 kW	69 dB(A)	80,0 kg	43534525
ROOF-V/56/130/14T	13 000 m³/h	970 Pa	1 460 rpm	400 V	6,7 A	3,0 kW	73 dB(A)	91,0 kg	43534530
THREE-PHASE, 6-POLE MOTORS									
ROOF-V/25/08/09T	760 m³/h	80 Pa	870 rpm	400 V	0,65 A	0,12 kW	51 dB(A)	21,0 kg	43534497
ROOF-V/28/11/09T	1 060 m³/h	110 Pa	870 rpm	400 V	0,65 A	0,12 kW	53 dB(A)	21,0 kg	43534502
ROOF-V/31/16/09T	1 570 m³/h	135 Pa	870 rpm	400 V	0,65 A	0,12 kW	56 dB(A)	26,0 kg	43534507
ROOF-V/35/21/09T	2 140 m³/h	175 Pa	900 rpm	400 V	0,7 A	0,18 kW	58 dB(A)	31,0 kg	43534512
ROOF-V/40/31/09T	3 080 m³/h	220 Pa	880 rpm	400 V	1,0 A	0,25 kW	61 dB(A)	36,0 kg	43534517
ROOF-V/45/46/09T	4 570 m³/h	275 Pa	880 rpm	400 V	1,3 A	0,37 kW	64 dB(A)	44,0 kg	43534522
ROOF-V/50/62/09T	6 180 m³/h	350 Pa	940 rpm	400 V	2,0 A	0,75 kW	67 dB(A)	62,0 kg	43534527
ROOF-V/56/88/09T	8 700 m³/h	440 Pa	940 rpm	400 V	2,8 A	1,1 kW	71 dB(A)	76,0 kg	43534532
ROOF-V/63/125/09T	12 490 m³/h	550 Pa	965 rpm	400 V	5,0 A	2,2 kW	72 dB(A)	118,0 kg	43534537
ROOF-V/71/178/09T	17 770 m³/h	705 Pa	965 rpm	400 V	6,2 A	3,0 kW	78 dB(A)	158,0 kg	43534542
ROOF-V/80/256/09T	25 600 m³/h	860 Pa	960 rpm	400 V	13,3 A	5,5 kW	82 dB(A)	188,0 kg	43534547
ROOF-V/90/364/09T	36 400 m³/h	1 090 Pa	970 rpm	400 V	21,4 A	11,0 kW	86 dB(A)	335,0 kg	43534552
ROOF-V/100/500/09T	50 000 m³/h	1 350 Pa	980 rpm	400 V	36,4 A	18,5 kW	89 dB(A)	500,0 kg	43534557

* Measurement made at a distance of 1.5m from the outlet, for Q = 2/3 * Qmax

** value of the rated current may vary depending on the manufacturer of the electric motor used.

PERFORMANCE CHARACTERISTICS OF THE FANS

PERFORMANCE CHARACTERISTICS OF THE FANS

PERFORMANCE CHARACTERISTICS OF THE FANS

PERFORMANCE CHARACTERISTICS OF THE FANS

ROOF-V/50/62/09S

Qmax:6180m³/h, Δpmax:350Pa, Pnom:0,75kW

ROOF-V/25/12/14T

Qmax:1150m³/h, Δpmax:190Pa, Pnom:180W

ROOF-V/28/16/14T

Qmax:1600m³/h, Δpmax:240Pa, Pnom:250W

ROOF-V/31/23/14T

Qmax:2300m³/h, Δpmax:310Pa, Pnom:370W

ROOF-V/35/33/14T

Qmax:3280m³/h, Δpmax:395Pa, Pnom:0,55kW

ROOF-V/40/48/14T

Qmax:4780m³/h, Δpmax:500Pa, Pnom:0,75kW

PERFORMANCE CHARACTERISTICS OF THE FANS

ROOF-V/45/68/14T

Qmax:6800m³/h, Δpmax:630Pa, Pnom:1,1kW

ROOF-V/50/93/14T

Qmax:9300m³/h, Δpmax:780Pa, Pnom:2,2kW

ROOF-V/56/130/14T

Qmax:13000m³/h, Δpmax:970Pa, Pnom:3kW

ROOF-V/25/08/09T

Qmax:760m³/h, Δpmax:80Pa, Pnom:120W

ROOF-V/28/11/09T

Qmax:1060m³/h, Δpmax:110Pa, Pnom:120W

ROOF-V/31/16/09T

Qmax:1570m³/h, Δpmax:135Pa, Pnom:120W

PERFORMANCE CHARACTERISTICS OF THE FANS

PERFORMANCE CHARACTERISTICS OF THE FANS

DIMENSIONS

type	A mm	B mm	C mm	Ød mm	ØD mm	ØD1 mm	E mm	H mm	H1 mm	H2 mm
ROOF-V/25	589	535	435	12	200	318	330	442	15	246
ROOF-V/28	589	535	435	12	225	318	330	442	15	246
ROOF-V/31	723	668	435	12	250	318	330	477	15	261
ROOF-V/35	811	755	560	12	280	355	450	569	15	298
ROOF-V/40	904	848	560	12	315	355	450	586	15	298
ROOF-V/45	936	880	630	12	355	457	535	631	15	356
ROOF-V/50	1 104	1 048	710	12	400	457	590	801	17	393
ROOF-V/56	1 234	1 178	710	12	450	457	590	841	17	433
ROOF-V/63	1 386	1 330	900	14	500	457	750	884	40	484
ROOF-V/71	1 556	1 500	900	14	560	550	750	1 044	40	543
ROOF-V/80	1 736	1 680	1 100	14	630	550	840	1 104	40	585
ROOF-V/90	1 926	1 870	1 250	14	710	765	1000	1 195	40	640
ROOF-V/100	2 148	2 094	1 250	14	800	765	1000	1 417	40	725

MOUNTING ACCESSORIES

1 2

type	flat roof up RSS	flat roof up RS	flat roof up RS-I	flat roof up RSA	flat roof up RSA-I
ROOF-V/25	RSS 435	RS 435	RS-I 435	RSA 435	RSA-I 435
ROOF-V/28	RSS 435	RS 435	RS-I 435	RSA 435	RSA-I 435
ROOF-V/31	RSS 435	RS 435	RS-I 435	RSA 435	RSA-I 435
ROOF-V/35	RSS 560	RS 560	RS-I 560	RSA 560	RSA-I 560
ROOF-V/40	RSS 560	RS 560	RS-I 560	RSA 560	RSA-I 560
ROOF-V/45	RSS 630	RS 630	RS-I 630	RSA 630	RSA-I 630
ROOF-V/50	RSS 710	RS 710	RS-I 710	RSA 710	RSA-I 710
ROOF-V/56	RSS 710	RS 710	RS-I 710	RSA 710	RSA-I 710
ROOF-V/63	RSS 905	RS 905	RS-I 905	RSA 905	RSA-I 905
ROOF-V/71	RSS 905	RS 905	RS-I 905	RSA 905	RSA-I 905
ROOF-V/80	RSS 1 100	RS 1 100	RS-I 1 100	RSA 1 100	RSA-I 1 100
ROOF-V/90	-	RS 1 250	RS-I 1 250	RSA 1 250	RSA-I 1 250
ROOF-V/100	-	RS 1 250	RS-I 1 250	RSA 1 250	RSA-I 1 250

1 3 4 5 6

type	mounting plate P	backflow preventer KZD SE	connector anti-vibration ZDPO	stub-pipe K
ROOF-V/25	P 435	KZD SE 435	ZDPO 435	K 435
ROOF-V/28	P 435	KZD SE 435	ZDPO 435	K 435
ROOF-V/31	P 435	KZD SE 435	ZDPO 435	K 435
ROOF-V/35	P 560	KZD SE 560	ZDPO 560	K 560
ROOF-V/40	P 560	KZD SE 560	ZDPO 560	K 560
ROOF-V/45	P 630	KZD SE 630	ZDPO 630	K 630
ROOF-V/50	P 710	KZD SE 710	ZDPO 710	K 710
ROOF-V/56	P 710	KZD SE 710	ZDPO 710	K 710
ROOF-V/63	P 905	KZD SE 905	ZDPO 905	K 905
ROOF-V/71	P 905	KZD SE 905	ZDPO 905	K 905
ROOF-V/80	P 1 100	KZD SE 1 100	ZDPO 1 100	K 1 100
ROOF-V/90	P 1 250	KZD SE 1 250	ZDPO 1 250	K 1 250
ROOF-V/100	P 1 250	KZD SE 1 250	ZDPO 1 250	K 1 250

Article numbers

43526520 RSS 435	**43526020** RS 435	**43526120** RSA 435	**43526310** P 435	**43527410** ZDPO 435	**43526410** K 435
43526530 RSS 560	**43526030** RS 560	**43526130** RSA 560	**43526320** P 560	**43527420** ZDPO 560	**43526420** K 560
43526540 RSS 630	**43526040** RS 630	**43526140** RSA 630	**43526330** P 630	**43527430** ZDPO 630	**43526430** K 630
43526550 RSS 710	**43526050** RS 710	**43526150** RSA 710	**43526340** P 710	**43527440** ZDPO 710	**43526440** K 710
43526560 RSS 905	**43526060** RS 905	**43526160** RSA 905	**43526350** P 905	**43527450** ZDPO 905	**43526450** K 905
43526570 RSS 1100	**43526070** RS 1100	**43526170** RSA 1100	**43526360** P 1100	**43527460** ZDPO 1100	**43526460** K 1100
43526580 RSS 1 250	**43526080** RS 1 250	**43526180** RSA 1 250	**43526370** P 1 250	**43527470** ZDPO 1 250	**43526470** K 1 250
	43526721 RS-I 435	**43526821** RSA-I 435	**43527312** KZD SE 435		
	43526731 RS-I 560	**43526831** RSA-I 560	**43527322** KZD SE 560		
	43526741 RS-I 630	**43526841** RSA-I 630	**43527332** KZD SE 630		
	43526751 RS-I 710	**43526851** RSA-I 710	**43527342** KZD SE 710		
	43526761 RS-I 905	**43526861** RSA-I 905	**43527352** KZD SE 905		
	43526771 RS-I 1100	**43526871** RSA-I 1100	**43527362** KZD SE 1100		
	43526781 RS-I 1 250	**43526881** RSA-I 1 250	**43527372** KZD SE 1 250		

ELECTRICAL ACCESSORIES

type	wall thermostat	duct thermostat	sensor temperature	air quality sensor	humidistat	thyristor controller
	TS*	TK-21	for TK-21	SQA	HIG-2	REB
ROOF-V/25/12/14S	TS	TK-21	Sensor TK-21	SQA	HIG-2	REB-5
ROOF-V/28/16/14S	TS	TK-21	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-5
ROOF-V/31/23/14S	TS + DILM7-10	TK-21	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-5
ROOF-V/35/33/14S	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-10
ROOF-V/40/48/14S	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-10
ROOF-V/45/68/14S	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-10
ROOF-V/25/08/09S	TS	TK-21	Sensor TK-21	SQA	HIG-2	REB-5
ROOF-V/28/11/09S	TS	TK-21	Sensor TK-21	SQA	HIG-2	REB-5
ROOF-V/31/16/09S	TS	TK-21	Sensor TK-21	SQA	HIG-2	REB-5
ROOF-V/35/21/09S	TS	TK-21	Sensor TK-21	SQA	HIG-2	REB-5
ROOF-V/40/31/09S	TS	TK-21	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-5
ROOF-V/45/46/09S	TS + DILM7-10	TK-21	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-10
ROOF-V/50/62/09S	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	REB-10
ROOF-V/25/12/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/28/16/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/31/23/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/35/33/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/40/48/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/45/68/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/50/93/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/56/130/14T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/25/08/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/28/11/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/31/16/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/35/21/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/40/31/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/45/46/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/50/62/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/56/88/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/63/125/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/71/178/09T	TS + DILM7-10	TK-21 + DILM7-10	Sensor TK-21	SQA + DILM7-10	HIG-2 + DILM7-10	-
ROOF-V/80/256/09T	TS + DILM15-10	TK-21 + DILM15-10	Sensor TK-21	SQA + DILM15-10	HIG-2 + DILM15-10	-
ROOF-V/90/364/09T	TS + DILM25-10	TK-21 + DILM25-10	Sensor TK-21	SQA + DILM25-10	HIG-2 + DILM25-10	-
ROOF-V/100/500/09T	TS + DILM40-10	TK-21 + DILM40-10	Sensor TK-21	SQA + DILM40-10	HIG-2 + DILM40-10	-

* single phase motor use all tracks in the contactor

ELECTRICAL ACCESSORIES

type	11-speed thyristor controller	transformer regulator		transformer regulator 2-adjustable	inverter
	IRF	RMB	RVS	SC2A	L
ROOF-V/25/12/14S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/28/16/14S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/31/23/14S	IRF-900	RMB 3,5	RVS 5	SC2A1-35L25	-
ROOF-V/35/33/14S	IRF-900	RMB 8	RVS 5	SC2A1-50L25	-
ROOF-V/40/48/14S	IRF-900	RMB 8	RVS 5	SC2A1-50L25	-
ROOF-V/45/68/14S	-	RMB 10	RVS 10	SC2A1-110L25	-
ROOF-V/25/08/09S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/28/11/09S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/31/16/09S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/35/21/09S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/40/31/09S	IRF-900	RMB 3,5	RVS 3	SC2A1-25L25	-
ROOF-V/45/46/09S	IRF-900	RMB 3,5	RVS 5	SC2A1-50L25	-
ROOF-V/50/62/09S	IRF-900	RMB 8	RVS 7	SC2A1-75L25	-
ROOF-V/25/12/14T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/28/16/14T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/31/23/14T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/35/33/14T	-	-	-	SC2A4-25L55	L 0,75kW
ROOF-V/40/48/14T	-	-	-	SC2A4-25L55	L 0,75kW
ROOF-V/45/68/14T	-	-	-	SC2A4-40L55	L 1,5kW
ROOF-V/50/93/14T	-	-	-	SC2A4-60L55	L 2,2kW
ROOF-V/56/130/14T	-	-	-	SC2A4-80L55	L 4,0kW
ROOF-V/25/08/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/28/11/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/31/16/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/35/21/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/40/31/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/45/46/09T	-	-	-	SC2A4-15L55	L 0,4kW
ROOF-V/50/62/09T	-	-	-	SC2A4-25L55	L 0,75kW
ROOF-V/56/88/09T	-	-	-	SC2A4-40L55	L 1,5kW
ROOF-V/63/125/09T	-	-	-	SC2A4-40L55	L 2,2kW
ROOF-V/71/178/09T	-	-	-	SC2A4-80L55	L 4,0kW
ROOF-V/80/256/09T	-	-	-	-	L 5,5kW
ROOF-V/90/364/09T	-	-	-	-	L 11,0kW
ROOF-V/100/500/09T	-	-	-	-	L 18,5kW

Article numbers

91040997 DILM7-10
91040666-42 DILM15-10
91040905 DILM25-10
91040666 DILM40-10

40025345 TS
40025320 TK-21
40025140 SQA
40025150 HIG-2

40025051 REB-5
40025055 REB-10
40015154 IRF-900
40025070 RMB 3,5
40025080 RMB 8
40025090 RMB 10

40025234 RVS 3
40025235 RVS 5
40025236 RVS 7
40025237 RVS 10

40025253 SC2A1-25L25
40025255 SC2A1-35L25
40025257 SC2A1-50L25
40025259 SC2A1-75L25
40025251 SC2A1-110L25
40025270 SC2A4-15L55
40025272 SC2A4-25L55
40025274 SC2A4-40L55
40025276 SC2A4-60L55
40025278 SC2A4-80L55

40016302 L 0,4kW
40016312 L 0,75kW
40016322 L 1,5kW
40016332 L 2,2kW
40016352 L 4,0kW
40016362 L 5,5kW
40016383 L 11,0kW
40016412 L 18,5kW